

# **SDS Report**

No.: CANEC1916332501

Date: 26 Aug 2019

Page 1 of 1

SHENZHEN ANYCUBIC TECHNOLOGY CO., LTD

ROOM 101-501, BUILDING NO. 11, YINHAI INDUSTRIAL PARK, YINHE COMMUNITY, YUANSHAN STREET, LONGGANG DISTRICT, SHENZHEN, GUANGDONG, CHINA

SGS Job No.	: CP19-045581
Sample Name	: UV RESIN
End Uses	: USE FOR 3D printing
Composition/Ingredie t of sample (as per client submission)	en : See section 3 Composition/information on ingredients on the SDS report
Job Receiving Date	: 19 Aug 2019
SDS Preparation Period	: 19 Aug 2019-23 Aug 2019
Service Requested	: Safety Data Sheet (SDS) for the sample with submitted composition.
Summary	: As per request, the contents and formats of the SDS are prepared in accordance with European Commission Regulation (EC) No 1907/2006, Regulation (EC) No 1272/2008 and Regulation (EU) No 2015/830, and is provided per attached.
	Remark:
	1. The SDS is prepared based on the information provided by client.
	2.Fatty acids, soya, epoxidized, Bu esters (CAS No. 71302-80-2) is not classified in this SDS,
	as no information was found in company and literature data, and client cannot
	provide SDS(s) for classification.

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Zuguan

Zm guan Approved Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gg.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gg.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gg.com/en/Terms-and-Conditions.aspx and, for electronic format document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or agpearance of this document the unlewful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Attention : To check the authenticity of testing /insp CN.Doccheck@sgs.com ion report & certificate, please contact us at telephone: (86-755) 8307 1443,

198 Kezhu Road Scientech Park Guargzhou Exonomic & Technology Development District Guargzhou China 510663 t (86–20) 82155555 f (86–20) 82075113 www.sgsgroup.com.cn 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075113 t sgs.china@sgs.com

Printing date 23.08.2019

Version number 1

Revision: 23.08.2019

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: UV RESIN

• 1.2 Relevant identified uses of the substance or mixture and uses advised against • Application of the substance / the mixture: USE FOR 3D printing

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer / Supplier: SHENZHEN ANYCUBIC TECHNOLOGY CO.,LTD

· Full address:

ROOM 101-501, BUILDING NO. 11, YINHAI INDUSTRIAL PARK, YINHE COMMUNITY, YUANSHAN STREET, LONGGANG DISTRICT, SHENZHEN, GUANGDONG, CHINA

Phone number: +86-15112413757
Email: velben@anycubic3d.com

· Only Representative / other EU contact point: Not available

• Further information obtainable from: SHENZHEN ANYCUBIC TECHNOLOGY CO., LTD

• **1.4 Emergency telephone number:** GERMANY Poison Center Berlin - Institute of Toxicology

Tel: +49 030 192 40

· 1.5 Reference Number: CP19-045581, CANEC1916332501

#### **SECTION 2: Hazards identification**

 $\cdot$  2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

GHS09 environment

Aquatic Acute 1H400 Very toxic to aquatic life.Aquatic Chronic 1H410 Very toxic to aquatic life with long lasting effects.

GHS07

Skin Irrit. 2	H315 Causes skin irritation.
Eye Irrit. 2	H319 Causes serious eye irritation.
Skin Sens. 1	H317 May cause an allergic skin reaction.
STOT SE 3	H335 May cause respiratory irritation.

• *Information concerning particular hazards for human and environment:* The product has to be labelled due to the calculation procedure of Regulation (EC) No.1272/2008.

· Classification system:

The classification is according to the latest edition of EU Regulation (EC) No. 1272/2008, and extended by company and literature data.

· 2.2 Label elements

· Labelling according to Regulation (EC) No. 1272/2008

*The product is classified and labelled according to the CLP regulation.* • *Hazard pictograms* 



· Signal word Warning

(Contd. on page 2)

EU

Printing date 23.08.2019

Version number 1

Revision: 23.08.2019

(Contd. of page 1)

#### Trade name: UV RESIN

	nining components of labelling: 1-oxoallyl)oxy]methyl]butoxy]methyl]-2-ethyl-1,3-propanediyl diacrylate
isooctyl acryla	ite
Hazard statem	<i>nents</i>
H315 Causes	skin irritation.
H319 Causes s	serious eye irritation.
H317 May cau	ise an allergic skin reaction.
H335 May cau	use respiratory irritation.
H410 Very tox	ic to aquatic life with long lasting effects.
Precautionary	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves / eye protection / face protection.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P	P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· **PBT:** Not applicable.

· vPvB: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description:

Mixture of the substances listed below with nonhazardous additions. For the wording of the listed hazard statements refer to section 16.

Composition:

· Composition:		
CAS: 71302-80-2	Fatty acids, soya, epoxidized, Bu esters	45.0%
CAS: 29590-42-9 EINECS: 249-707-8 Index number: 607-244-00-2	isooctyl acrylate Aquatic Acute 1, H400; Aquatic Chronic 1, H410; (1) Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	30.0%
CAS: 94108-97-1 EC number: 302-434-9	<ul> <li>2-[[2,2-bis[[(1-oxoallyl)oxy]methyl]butoxy]methyl]-2-ethyl-1,3-propanediyl diacrylate</li> <li>Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317</li> </ul>	15.0%
CAS: 474510-57-1 ELINCS: 444-860-9 Index number: 606-140-00-4	2-hydroxy-1-(4-(4-(2-hydroxy-2-methylpropionyl)benzyl)phenyl)-2- methylpropan-1-one STOT RE 2, H373; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	5.0%
CAS: 1328-53-6 EINECS: 215-524-7	Polychloro copper phthalocyanine	5.0%

## **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

· General description: Immediately remove any clothing soiled by the product.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 3)

Printing date 23.08.2019

Version number 1

Revision: 23.08.2019

Trade name: UV RESIN

- *After skin contact: Immediately wash with water and soap and rinse thoroughly. After eye contact:*
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- **4.2** *Most important symptoms and effects, both acute and delayed: No further relevant information available.*
- **4.3 Indication of any immediate medical attention and special treatment needed:** No further relevant information available.
- **SECTION 5: Firefighting measures**
- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture: No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures: Not required.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or any water sourse. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- 6.4 Reference to other sections: See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling:
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.

For the general occupational hygienic measures refer to Section 8.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s): No further relevant information available.

(Contd. on page 4)

(Contd. of page 2)

Printing date 23.08.2019

Version number 1

Revision: 23.08.2019

#### Trade name: UV RESIN

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection
8.1 Control parameters Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. DNELs: Not available PNECs: Not available
Additional information: The lists valid during the making were used as basis.
<ul> <li>8.2 Exposure controls</li> <li>Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure.</li> <li>Appropriate engineering controls:</li> <li>Keep away from foodstuffs, beverages and feed.</li> <li>Immediately remove all soiled and contaminated clothing</li> <li>Wash hands before breaks and at the end of work.</li> <li>Avoid contact with the eyes and skin.</li> <li>See Section 7 for information about design of technical facilities.</li> </ul>
Personal protective equipment Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Protection of hands:
Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. <b>Material of gloves</b> The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
<b>Penetration time of glove material:</b> The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Environmental exposure controls:

Control measures must be made in accordance with Community environmental protection legislation.

	physical and chemical properties	
Appearance Form:	Liquid	
Colour:	Transparent green	

Printing date 23.08.2019

Version number 1

Revision: 23.08.2019

Trade name: UV RESIN

	(Co	ontd. of page
· Odour:	Odourless	
· Odour threshold:	Not available	
· pH-value:	6.5-7.5	
· Change in condition		
Melting point/Freezing point:	Not available	
Initial boiling point and boiling range	: Not available	
· Flash point:	>250 °C	
· Flammability (solid, gas):	Not available	
• Auto-ignition temperature:	Not available	
· Decomposition temperature:	Not available	
· Self-igniting:	Product is not selfigniting.	
· Explosive properties:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not available	
Upper:	Not available	
• Oxidising properties:	Not available	
· Vapour pressure:	Not available	
• Density at 25 °C:	1.05-1.25 g/cm <sup>3</sup>	
· Relative density:	Not available	
· Vapour density:	Not available	
• Evaporation rate:	Not available	
· Solubility in / Miscibility with		
water:	Slightly soluble in water	
· Partition coefficient: n-octanol/water:	Not available	
· Viscosity		
Dynamic:	150-250 mPas	
Kinematic:	Not available	
9.2 Other information	No further relevant information available.	

#### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity: Data not available
- · 10.2 Chemical stability: Data not available
- · 10.3 Possibility of hazardous reactions: No dangerous reactions known.
- 10.4 Conditions to avoid: No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification: Not available
- *Skin corrosion/irritation: Causes skin irritation.*

(Contd. on page 6)

EU -

Printing date 23.08.2019

Version number 1

Revision: 23.08.2019

(Contd. of page 5)

Trade name: UV RESIN

 $\cdot$  Serious eye damage/irritation:

Causes serious eye irritation.

• *Respiratory or skin sensitization: May cause an allergic skin reaction.* 

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

- Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- · STOT-single exposure

May cause respiratory irritation.

- $\cdot \textbf{STOT-repeated exposure} Based on available data, the classification criteria are not met.$
- Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

· 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

- · 12.2 Persistence and degradability: No further relevant information available.
- 12.3 Bioaccumulative potential: No further relevant information available.
- · 12.4 Mobility in soil: No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.
- · 12.7 Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Very toxic for aquatic organisms

#### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation:

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging
- · Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number	
ADR/RID/ADN, IMDG, IATA	UN3082
14.2 UN proper shipping name	
ADR/RID/ADN, IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE
	LIQUID, N.O.S. (isooctyl acrylate, 2-hydroxy-1-(4-(4-(2
	hydroxy-2-methylpropionyl)benzyl)phenyl)-2
	methylpropan-1-one)

# Safety data sheet

inting date 23.08.2019	Version number 1	Revision: 23.08.20
ade name: UV RESIN		
		(Contd. of page
· IMDG	LIQUID, N.O.S. (isoocty	Y HAZARDOUS SUBSTANC, yl acrylate, 2-hydroxy-1-(4-(4-(4-(4-(4-(4-(4-(4-(4-(4-(4-(4-(4-
· 14.3 Transport hazard class(es)		
· ADR/RID/ADN, IMDG, IATA		
· Class · Label	9 Miscellaneous dangero 9	us substances and articles.
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	111	
<ul> <li>14.5 Environmental hazards</li> <li>Marine pollutant:</li> <li>Special marking (ADR/RID/ADN):</li> <li>Special marking (IATA):</li> </ul>	Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree)	
$\cdot$ 14.6 Special precautions for user:	Warning: Miscellaneo articles.	ous dangerous substances ar
· Danger code (Kemler):	90	
· EMS Number: · Stowage Category	F-A,S-F A	
• 14.7 Transport in bulk according to An Marpol and the IBC Code		
· 14.8 Transport/Additional information		
· ADR/RID/ADN		
· Limited quantities (LQ):	5L	
$\cdot$ Excepted quantities (EQ)		er inner packaging: 30 ml
· Transport category:	Maximum net quantity pe 3	er outer packaging: 1000 ml
Tunnel restriction code:	-	
·IMDG		
• Limited quantities (LQ) • Excepted quantities (EQ)	5L Code: E1	
Excepted quantities (EQ)	Maximum net quantity pe	er inner packaging: 30 ml er outer packaging: 1000 ml
· UN "Model Regulation":	SUBSTANCE, LIQUID, 2 - H Y D R O X Y - 1 - (	NMENTALLY HAZARDOU N.O.S. (ISOOCTYL ACRYLAT (4 - (4 - (2 - HYDROXY-2 YL)BENZYL)PHENYL)-2

# **SECTION 15: Regulatory information**

 $\cdot$  15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · MAK(German Maximum Workplace Concentration)
- None of the ingredients is listed.

(Contd. on page 8)

EU –

Printing date 23.08.2019

Version number 1

Revision: 23.08.2019

(Contd. of page 7)

Trade name: UV RESIN

· Directive 2012/18/EU

• Named dangerous substances - ANNEX I None of the ingredients is listed.

• Seveso category E1 Hazardous to the Aquatic Environment

 $\cdot$  Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t

 $\cdot$  Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

· National regulations:

• Waterhazard class: Water hazard class 3 (Self-assessment): extremely hazardous for water.

· Other regulations, limitations and prohibitive regulations

· SVHC Candidate List of REACH Regulation Annex XIV Authorisation (16/7/2019)

None of the ingredients is listed

· REACH Regulation Annex XVII Restriction (20/06/2019)

See Section 16 for information about restriction of use.

None of the ingredients is listed

#### · REACH Regulation Annex XIV Authorisation List (13/6/2017)

None of the ingredients is listed

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

#### · Relevant hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation. H373 May cause damage to organs through prolonged or repeated exposure.

*H400 Very toxic to aquatic life.* 

H410 Very toxic to aquatic life with long lasting effects.

· Classification according to Regulation (EC) No. 1272/2008

Skin corrosion/irritation	The classification of the mixture is generally based on
Serious eye damage/eye irritation	the calculation method using substance data
Skin sensitisation	according to Regulation (EC) No. 1272/2008.
Specific target organ toxicity (single exposure)	
Hazardous to the aquatic environment - short-term	
(acute) aquatic hazard	
Hazardous to the aquatic environment - long-term	
(chronic) aquatic hazard	

\*\*\*\*\*

The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006, 1272/2008 and Regulation (EU) No 2015/830.

#### DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reason, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Contd. on page 9)

EU

# Safety data sheet Regulation (EC) No. 1907/2006 and 1272/2008

Printing date 23.08.2019

Version number 1

Revision: 23.08.2019

## Trade name: UV RESIN

	(Contd. of page 8)
EINECS: European Inventory of Existing Commercial Chemical Substances	(**************************************
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
DNEL: Derived No-Effect Level (REACH)	
PNEC: Predicted No-Effect Concentration (REACH)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
<i>Eye Irrit. 2: Serious eye damage/eye irritation – Category 2</i>	
Skin Sens. 1: Skin sensitisation – Category 1	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2	
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	
***************************************	****
End of document	